

group.lean in Naproche

Naproche Formalization: Peter Koepke

2021

We give a ForTheL version of the “multiplicative half” of <https://github.com/leanprover/lean/blob/master/library/init/algebra/group.lean> on basic concepts in group theory by J. Avigad and L. de Moura. Whereas the Lean formalization takes place within a sophisticated type system we suggest a simplistic approach in which types are naively viewed as sets.

The purpose of this text is a comparison of the technical approach in Lean with the rather natural input language ForTheL of Naproche. Naproche allows to introduce new notions like “type with multiplication” or “group” for which further structural components like a multiplication can be introduced and equipped with axioms. Since the mathematics of this text is very basic, Naproche can prove most lemmas automatically without explicit proofs. The formalization given here motivates to further use and adapt Naproche’s soft types for abstract algebraic structures.

1 Defining Groups

```
[readtex meta-inf/source/vocabulary.ftl.tex]
```

Signature 1. A type is a set.

Let α stand for a type. Let $a : t$ stand for a is an element of t .

Signature 2. A type with multiplication is a type.

Signature 3. Let α be a type with multiplication and $a, b : \alpha$. $a *^\alpha b$ is an element of α .

Definition 4. A semigroup is a type with multiplication α such that for all $a, b, c : \alpha$ $(a *^\alpha b) *^\alpha c = a *^\alpha (b *^\alpha c)$.

Definition 5. A commutative semigroup is a semigroup α such that for all $a, b : \alpha$ $a *^\alpha b = b *^\alpha a$.

Definition 6. A semigroup with left cancellation is a semigroup α such that for all $a, b, c : \alpha$ $a *^\alpha b = a *^\alpha c \Rightarrow b = c$.

Definition 7. A semigroup with right cancellation is a semigroup α such that for all $a, b, c : \alpha$ $a *^\alpha b = c *^\alpha b \Rightarrow a = c$.

Signature 8. A type with one is a type.

Signature 9. Assume α is a type with one. 1^α is an element of α .

Definition 10. A monoid is a semigroup α such that α is a type with one and $\forall a : \alpha 1^\alpha *^\alpha a = a$ and $\forall a : \alpha a *^\alpha 1^\alpha = a$.

Definition 11. A commutative monoid is a monoid that is a commutative semigroup.

Signature 12. A type with inverses is a type.

Signature 13. Assume α is a type with inverses and $a : \alpha$. $a^{-1,\alpha}$ is an element of α .

Definition 14. A group is a monoid α such that α is a type with inverses and for all $a : \alpha a^{-1,\alpha} *^\alpha a = 1^\alpha$.

Definition 15. A commutative group is a group that is a commutative monoid.

2 Term Identities in Groups

We prove a number of simple algebraic consequences of the the group axioms. The formalizations would read even more natural if the dependence on a group α could be made implicit and one could write $a*a^{-1} = 1$ instead of $a*a^{-1,\alpha} = 1^\alpha$. Lean's elaboration mechanism provides this important feature which we would like to implement in Naproche as well.

Lemma 16 (mul left comm). Let α be a commutative semigroup. Then for all $a, b, c : \alpha a *^\alpha (b *^\alpha c) = b *^\alpha (a *^\alpha c)$.

Lemma 17 (mul right comm). Let α be a commutative semigroup. Then for all $a, b, c : \alpha a *^\alpha (b *^\alpha c) = a *^\alpha (c *^\alpha b)$.

Lemma 18 (mul left cancel iff). Let α be a semigroup with left cancellation. Then for all $a, b, c : \alpha a *^\alpha b = a *^\alpha c \iff b = c$.

Lemma 19 (mul right cancel iff). Let α be a semigroup with right cancellation. Then for all $a, b, c : \alpha b *^\alpha a = c *^\alpha a \iff b = c$.

Let α denote a group.

Lemma 20 (inv mul cancel left). For all $a, b : \alpha a^{-1,\alpha} *^\alpha (a *^\alpha b) = b$.

Lemma 21 (inv mul cancel right). For all $a, b : \alpha a *^\alpha (b^{-1,\alpha} *^\alpha b) = a$.

Lemma 22 (inv eq of mul eq one). Let $a, b : \alpha$ and $a *^\alpha b = 1^\alpha$. Then $a^{-1,\alpha} = b$.

Lemma 23 (one inv). $(1^\alpha)^{-1,\alpha} = 1^\alpha$.

Lemma 24 (inv inv). Let $a : \alpha$. Then $(a^{-1,\alpha})^{-1,\alpha} = a$.

Lemma 25 (mul right inv). Let $a : \alpha$. Then $a *^\alpha a^{-1, \alpha} = 1^\alpha$.

Lemma 26 (inv inj). Let $a, b : \alpha$ and $a^{-1, \alpha} = b^{-1, \alpha}$. Then $a = b$.

Lemma 27 (group mul left cancel). Let $a, b, c : \alpha$ and $a *^\alpha b = a *^\alpha c$. Then $b = c$.

Lemma 28 (group mul right cancel). Let $a, b, c : \alpha$ and $a *^\alpha b = c *^\alpha b$. Then $a = c$.

Proof. $a = (a *^\alpha b) *^\alpha b^{-1, \alpha} = (c *^\alpha b) *^\alpha b^{-1, \alpha} = c$. \square

Lemma 29 (mul inv cancel left). Let $a, b : \alpha$. Then $a *^\alpha (a^{-1, \alpha} *^\alpha b) = b$.

Lemma 30 (mul inv cancel right). Let $a, b : \alpha$. Then $(a *^\alpha b) *^\alpha b^{-1, \alpha} = a$.

Lemma 31 (mul inv rev). Let $a, b : \alpha$. Then $(a *^\alpha b)^{-1, \alpha} = b^{-1, \alpha} *^\alpha a^{-1, \alpha}$.

Proof. $(a *^\alpha b) *^\alpha (b^{-1, \alpha} *^\alpha a^{-1, \alpha}) = 1^\alpha$. \square

Lemma 32 (eq inv of eq inv). Let $a, b : \alpha$ and $a = b^{-1, \alpha}$. Then $b = a^{-1, \alpha}$.

Lemma 33 (eq inv of mul eq one). Let $a, b : \alpha$ and $a *^\alpha b = 1^\alpha$. Then $a = b^{-1, \alpha}$.

Lemma 34 (eq mul inv of mul eq). Let $a, b, c : \alpha$ and $a *^\alpha c = b$. Then $a = b *^\alpha c^{-1, \alpha}$.

Lemma 35 (eq inv mul of mul eq). Let $a, b, c : \alpha$ and $b *^\alpha a = c$. Then $a = b^{-1, \alpha} *^\alpha c$.

Lemma 36 (inv mul eq of eq mul). Let $a, b, c : \alpha$ and $b = a *^\alpha c$. Then $a^{-1, \alpha} *^\alpha b = c$.

Lemma 37 (mul inv eq of eq mul). Let $a, b, c : \alpha$ and $a = c *^\alpha b$. Then $a *^\alpha b^{-1, \alpha} = c$.

Lemma 38 (eq mul of mul inv eq). Let $a, b, c : \alpha$ and $a *^\alpha c^{-1, \alpha} = b$. Then $a = b *^\alpha c$.

Lemma 39 (eq mul of inv mul eq). Let $a, b, c : \alpha$ and $b^{-1, \alpha} *^\alpha a = c$. Then $a = b *^\alpha c$.

Lemma 40 (mul eq of eq inv mul). Let $a, b, c : \alpha$ and $b = a^{-1, \alpha} *^\alpha c$. Then $a *^\alpha b = c$.

Lemma 41 (mul eq of eq mul inv). Let $a, b, c : \alpha$ and $a = c *^\alpha b^{-1, \alpha}$. Then $a *^\alpha b = c$.

Lemma 42 (mul inv). Let α be a commutative group. Let $a, b : \alpha$. Then $(a *^\alpha b)^{-1, \alpha} = a^{-1, \alpha} *^\alpha b^{-1, \alpha}$.